

HYDROGEN PRODUCTION IS UNINTERRUPTED

Whole home customize solution, share healthy hydrogen life





WHOLE HOUSE HYDROGEN
PRODUCTION SYSTEM



CONCENTRATION OF
HYDROGEN WAS 99.996%



SMART TOUCH CONTROL



24 HOURS OPERATION


**STERILIZE AND DEODORIZE
MULTIPLE FILTRATION**

Salvage

Continuous protection

Decomposition to remove odors, viruses, bacteria and other harmful substances


The decomposed material becomes waste water and is discharged, which will not cause re-pollution to the decomposed water



HIGH CONCENTRATION HYDROGEN WATER

Anti-oxidation weak alkali water, improve human sub-health

99.996%
Concentration of hydrogen



Hydrogen-rich water enters the cell, neutralizes the free radicals into water, and exits the body



CONTINUOUS HYDROGEN PRODUCTION

Hydrogen water is available 24 hours a day



Stable hydrogen production



MEET HOUSEHOLD WATER NEEDS

High-power and large-capacity hydrogen water production equipment can be used by the whole family

300W / 400W
Maximum power

1L/min-10L/min
Water output



TURBINE HYDROGEN PRODUCTION TOTAL ELECTROLYSIS

Rapidly splitting water to produce hydrogen ions



TOUCH BUTTON SENSITIVE OPERATION

Smart HD waterproof large screen touch and click, easy to operate



Water yield




Temperature



METAL CASE DURABLE AS NEW

Base universal wheel support, easy to move



Sponge cushion

Insulating layer

Non-magnetic metal case



Universal wheel



Intimate handle design

OUR PRODUCT ADVANTAGE

OURS



99.996%

Concentration of hydrogen



High power

Meet household water needs



Certificate

Authoritative certified product



2000PPB / 3800PPB

H₂ water concentration

OTHERS

99.666%

Concentration of hydrogen

Low power

Only one water can be used

No certification

No certificate authentication

500PPB / 1000PPB

H₂ water concentration

AUTHORITATIVE CERTIFICATION USE MORE ASSURED

Secure | Hygiene | Reliable | Stabilize



Reference No. : WTX22X112250055

Applicant : Shenzhen Guangyang ZhongKang Technology Co., limited

Address : Room 103, No17-28, Innovative Industry Park, Jingtian Road, Guanlan Sub-district, Longhua Dist., Shenzhen, Guangdong, China

Manufacturer : Shenzhen Guangyang ZhongKang Technology Co., limited

Address : Room 103, No17-28, Innovative Industry Park, Jingtian Road, Guanlan Sub-district, Longhua Dist., Shenzhen, Guangdong, China

Product : Hydrogen oxygen generator

Model(s) : GY-H800, GY-H200, GY-HX900, GY-HX1500, GY-HX1000, GY-HX1200, GY-HX1800, GY-HX2000, GY-HX3000

Trade Name : --

Ratings : 110-230V~, 50Hz, 180W

Test Standards:
EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A2:2019+A14:2019
EN 62233:2008

The above product has been tested by us with the listed standards and found in compliance with the Low Voltage Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Low Voltage Directive.

Household and similar electrical appliances
Part 1: General requirements
Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the above mentioned EU Directive. Other relevant Directives have to be observed.

After preparation of the necessary technical documentation as well as the conformity declaration, the CE marking as shown below can be affixed on the equipment.

CE

Jandy So
Manager: Jandy So
Date: 2023-02-23

The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.

Waltek Testing Group (Shenzhen) Co., Ltd.
Tel: +86-755-3366 3308 Fax: +86-755-3366 3309
Http://www.waltek.com.cn E-mail: sem@waltek.com.cn

Reference No. : WTX22X11225018E

Applicant : Shenzhen Guangyang ZhongKang Technology Co., Ltd.

Address : 3rd Floor, Building N, Innovation Silicon Valley Industrial Park, 17 Jingtian Road, Guanhu Street, Longhua District, Shenzhen, Guangdong, China

Manufacturer : Shenzhen Guangyang ZhongKang Technology Co., Ltd.

Address : 3rd Floor, Building N, Innovation Silicon Valley Industrial Park, 17 Jingtian Road, Guanhu Street, Longhua District, Shenzhen, Guangdong, China

Product Name : Hydrogen oxygen generator

Trade Name : /

Model(s) : GY-H800, GY-H200, GY-HX900, GY-HX1500, GY-H1000, GY-HX1200, GY-HX1800, GY-HX1900, GY-HX2000, GY-HX3000

Ratings : Refer to the test report

WALTEK

Test Standards:
47 CFR Part 15, Subpart B

The above product has been tested by us with the listed standard and found in compliance with the Code of Federal Regulations, Title 47-Telecommunications, FCC Rules and Regulations Part 15, Subpart B and the measurement procedure according to ANSI C63.4:2014. The label must be complying with the (a) of the Section 15.19 labeling requirements.

Supplementary Information:

The product herewith has been successfully tested according to the Code of Federal Regulations, Title 47-Telecommunications. Test samples were in an engineering configuration. FCC Conformity Letter of Authorization for marketing will be required based on the final product when needed. Specific test configurations and results are published by Waltek Testing Group (Shenzhen) Co., Ltd.

FC

The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.

Waltek Testing Group (Shenzhen) Co., Ltd.
FCC Designation No.: CN5010
Tel: +86-755-33663308
http://www.waltek.com.cn



PRODUCT PARAMETERS



Model/

GY-519P-300H / GY-519P-600H

H2 water concentration/

3000ppb

Electrolysis method/

Anode pure water electrolysis

Product dimensions length/

350*305*450mm

Inlet water source/

Any clean water source

Rated voltage/

AC220v 50Hz

Water output/

1L/min-10L/min

Water temperature/

5-50°C

Maximum power/

300W / 400W

Water tank capacity/

2.8L

Water quality/

Purified or distilled water (TDS \leq 5ppm)
